

Page 1/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 3

Revision: 16.11.2022

• Trade name: Venus flow	
• <b>1.2 Relevant identified uses of the substand</b> No further relevant information available.	e or mixture and uses advised against
<ul> <li>Application of the substance / the mixtur</li> </ul>	r <b>e</b> Dental filling material
• <b>1.3 Details of the supplier of the safety data</b> • <b>Manufacturer/Supplier:</b> Kulzer GmbH Leipziger Straße 2, 63450 Hanau (Germany	
Informing department: E-Mail: msds@kula 1.4 Emergency telephone number: Emergen	zer-dental.com cy CONTACT (24-Hour-Number): +49 (0)6132-844
SECTION 2: Hazards identification	
• 2.1 Classification of the substance or mixtu • Classification according to Regulation (E Skin Sens. 1 H317 May cause an allergic s	EC) No 1272/2008
GHS07	
· Signal word Warning	
<ul> <li>Hazard-determining components of la triethylen glycol dimethacrylate methyl methacrylate</li> <li>Hazard statements H317 May cause an allergic skin reaction</li> <li>Precautionary statements P261 Avoid breathing dust/fume/g</li> </ul>	n.

• 3.2 Mixtures • Description: Product based on methacrylates

(Contd. on page 2) ĠВ



Page 2/9

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 3

Revision: 16.11.2022

### Trade name: Venus flow

· Dangerous components:	۵)	ontd. of page 1
CAS: 109-16-0 EINECS: 203-652-6 Reg.nr.: 01-2119969287-21-xxx>	triethylen glycol dimethacrylate Skin Sens. 1B, H317	<i>≥</i> 10- <i>≤</i> 25%
CAS: 131-57-7 EINECS: 205-031-5	Oxybenzone Aquatic Acute 1, H400; Aquatic Chronic 2, H411	<i>≥</i> 0.25-<1%
CAS: 80-62-6 EINECS: 201-297-1	methyl methacrylate Flam. Liq. 2, H225 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	<i>≥</i> 0.1-<1%

**Additional information** For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

### · 4.1 Description of first aid measures

- General information Instantly remove any clothing soiled by the product.
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact
- Instantly wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- After eye contact
- Rinse opened eye for several minutes under running water. Then consult doctor.
- After swallowing

Rinse out mouth and then drink plenty of water.

- In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### SECTION 5: Firefighting measures

#### · 5.1 Extinguishing media

- Suitable extinguishing agents
- CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
  - · Protective equipment: No special measures required.
  - · Additional information -

### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
- Do not allow to enter the ground/soil.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

(Contd. on page 3) GB



Page 3/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 3

Revision: 16.11.2022

(Contd. of page 2)

ĠВ

### Trade name: Venus flow

#### · 6.4 Reference to other sections

See Section 13 for information on disposal.

See Section 8 for information on personal protection equipment.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Wear protective equipment. Keep unprotected persons away.

Please observe the additional instructions in the product's instructions for use.

Information about protection against explosions and fires: No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities
   Storage
  - · Requirements to be met by storerooms and containers: No special requirements.
  - Information about storage in one common storage facility: Not required.
  - Further information about storage conditions: Store cool (not above 25 °C).
- 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

### Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Not required.

#### DNELs

DNELS			
109-16-0 triethylen glycol	dimethacrylate		
Oral general population	on, long term, systemi	c 8.33 mg/Kg (not defined)	
Dermal worker industrial	, long term, systemic	13.9 mg/Kg/d (not defined)	
general population	on, long term, systemi	c 8.33 mg/Kg/d (not defined)	
Inhalative worker industrial	, long term, systemic	48.5 mg/m3 (not defined)	
general population	on, long term, systemi	c 14.5 mg/m3 (not defined)	
80-62-6 methyl methacryl	ate	-	
Oral general population	on, long term, systemi	c 8.2 mg/Kg (not defined)	
Dermal worker industrial	, long term, systemic	13.67 mg/Kg/d (not defined)	
general population	on, long term, systemi	c 8.2 mg/Kg/d (not defined)	
Inhalative worker industrial	, acute, local	416 mg/m3 (not defined)	
worker industrial	, long term, systemic	348.4 mg/m3 (not defined)	
worker industrial	, long term, local	208 mg/m3 (not defined)	
general population	on, acute, local	208 mg/m3 (not defined)	
general population, long term, systemic		; 74.3 mg/m3 (not defined)	
· PNECs			
109-16-0 triethylen glycol	dimethacrylate		
freshwater			
marine water			
sewage treatment plant	1.7 mg/l (not	defined)	
sediment, dry weight, fresh	water 0.185 mg/Kg	(not defined)	
			(Contd. on page



Page 4/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

\*

Version number 3

Revision: 16.11.2022

### Trade name: Venus flow

sediment, dry weight, marine water	(Contd. of page 0.018 mg/Kg (not defined)
soil, dry weight	0.027 mg/Kg (not defined)
80-62-6 methyl methacrylate	
freshwater	0.94 mg/l (aqua)
neshwater	0.94 mg/l (not defined)
marina watar	
marine water	0.094 mg/l (not defined)
sewage treatment plant	10 mg/l (not defined)
sediment, dry weight, freshwater	10.2 mg/Kg (not defined)
soil, dry weight	1.48 mg/Kg (not defined)
• 8.2 Exposure controls • Appropriate engineering contr	e lists that were valid during the compilation were used as basis rols No further data; see item 7. s, such as personal protective equipment
General protective and hyg	s, such as personal protective equipment ienic measures
Keep away from foodstuffs, b	everages and food.
Instantly remove any soiled a	nd impregnated garments.
Wash hands during breaks ar	nd at the end of the work.
Avoid contact with the eyes a • <b>Breathing equipment:</b> Not re	
· Hand protection	equilea.
	e impermeable and resistant to the product/ the substance/ a
preparation.	
Selection of the glove materia the degradation	al on consideration of the penetration times, rates of diffusion a
Solvent resistant gloves	
	to each use for their proper condition.
recommended	
further marks of quality ar preparation of several s	able gloves does not only depend on the material, but also nd varies from manufacturer to manufacturer. As the product i substances, the resistance of the glove material can not
· Penetration time of glove	has therefore to be checked prior to the application.
	time has to be found out by the manufacturer of the protect
gloves and has to be obse	erved.
	act of a maximum of 15 minutes gloves made of the follow
materials are suitable:	
Butyl rubber, BR Nitrile rubber, NBR	
• Eye/face protection Tightly s	sealed safety glasses.
· Body protection: Light weigh	
SECTION 9: Physical and cl	hemical properties
9.1 Information on basic physical	and chemical properties
· General Information	
• General Information • Physical state	Fluid
	Fluid Different according to colour Characteristic

(Contd. on page 5) GB



Page 5/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 3

Revision: 16.11.2022

### Trade name: Venus flow

Not determined Not determined Not determined Not determined. Not determined. 150 °C (109-16-0 triethylen glyco imethacrylate) Not determined. Not determined. Not determined. Not determined. Not miscible or difficult to mix Not miscible or difficult to mix Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.
Not determined Not applicable. Not determined. Not determined. 150 °C (109-16-0 triethylen glyco. Imethacrylate) Not determined. Not determined. Not determined. Not determined. Not miscible or difficult to mix Not miscible or difficult to mix Not determined. Not determined. Not determined.
Not applicable. Not determined. Not determined. 150 °C (109-16-0 triethylen glyco. Imethacrylate) Not determined. Not determined. Not determined. Not miscible or difficult to mix Not miscible or difficult to mix Not determined. Not determined. 1.8 g/cm <sup>3</sup> Not determined.
Not applicable. Not determined. Not determined. 150 °C (109-16-0 triethylen glyco. Imethacrylate) Not determined. Not determined. Not determined. Not miscible or difficult to mix Not miscible or difficult to mix Not determined. Not determined. 1.8 g/cm <sup>3</sup> Not determined.
Not determined. Not determined. 150 °C (109-16-0 triethylen glyco. limethacrylate) Not determined. Not determined. Not determined. Not miscible or difficult to mix Not miscible or difficult to mix Not determined. Not determined. 1.8 g/cm <sup>3</sup> Not determined.
Not determined. 150 °C (109-16-0 triethylen glyco. limethacrylate) Not determined. Not determined. Not determined. Not miscible or difficult to mix Not miscible or difficult to mix Not determined. 1.8 g/cm <sup>3</sup> Not determined.
Not determined. 150 °C (109-16-0 triethylen glyco. limethacrylate) Not determined. Not determined. Not determined. Not miscible or difficult to mix Not miscible or difficult to mix Not determined. 1.8 g/cm <sup>3</sup> Not determined.
<ul> <li>150 °C (109-16-0 triethylen glyco.</li> <li>limethacrylate)</li> <li>lot determined.</li> <li>Not determined.</li> <li>Not determined.</li> <li>Not determined.</li> <li>Not miscible or difficult to mix</li> <li>lot determined.</li> </ul>
limethacrylate) Not determined. Not determined. Not determined. Not miscible or difficult to mix Not determined. Not determined. 1.8 g/cm <sup>3</sup> Not determined.
Not determined. Not determined. Not determined. Not determined. Not miscible or difficult to mix Not determined. Not determined. 1.8 g/cm <sup>3</sup> Not determined.
Not determined. Not determined. Not determined. Not miscible or difficult to mix Not determined. Not determined. 1.8 g/cm <sup>3</sup> Not determined.
Not determined. Not determined. Not miscible or difficult to mix Not determined. Not determined. 1.8 g/cm <sup>3</sup> Not determined.
Not determined. Not determined. Not miscible or difficult to mix Not determined. Not determined. 1.8 g/cm <sup>3</sup> Not determined.
Not determined. Not miscible or difficult to mix Not determined. Not determined. 1.8 g/cm <sup>3</sup> Not determined.
Not determined. Not miscible or difficult to mix Not determined. Not determined. 1.8 g/cm <sup>3</sup> Not determined.
Not miscible or difficult to mix Not determined. Not determined. 1.8 g/cm <sup>3</sup> Not determined.
lot determined. lot determined. 1.8 g/cm <sup>3</sup> Not determined.
lot determined. lot determined. 1.8 g/cm <sup>3</sup> Not determined.
lot determined. 1.8 g/cm³ Not determined.
lot determined. 1.8 g/cm³ Not determined.
1.8 g/cm³ Not determined.
Not determined.
Not determined.
Not determined.
ner relevant information available.
Poot (
Pasty
Product is not selfigniting.
Product is not explosive.
lot determined.
/oid
loid
loid
loid
loid
/oid
loid
loid
/oid
/oid
/oid
/oid
loid
loid
loid
loid
(Contd. on page 6



Page 6/9

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 3

Revision: 16.11.2022

### Trade name: Venus flow

Desensitised explosives

Void

(Contd. of page 5)

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
  - Conditions to be avoided: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: None Additional information:

If stored longer than recommended and/or above recommended temperature, product may polymerize generating heat.

### **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 · Acute toxicity Based on available data, the classification criteria are not met.

### · LD/LC50 values that are relevant for classification:

Oral	LD50	glycol dimethacrylate 8300 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (mouse)
80-62-6 m	ethyl met	hacrylate
Oral	LD50	~7900 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rab) (OECD 402)
Inhalative	LC50/4 h	29.8 mg/l (rat)
		<b>rritation</b> Based on available data, the classification criteria are not met. nage/irritation Based on available data, the classification criteria are not met <b>kin sensitisation</b> Guinea-Pig Maximisation Test (OECD 406); negative
Respir Germ of Carcin Reproo STOT- STOT- Aspira	atory or s cell mutag ogenicity ductive to single exp repeated e tion hazar	
Respir Germ o Carcin Reproo STOT- STOT- Aspira 11.2 Infor	atory or s cell mutag ogenicity ductive to single exp repeated e tion hazar mation on	nage/irritation Based on available data, the classification criteria are not met kin sensitisation Guinea-Pig Maximisation Test (OECD 406): negative penicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. xicity Based on available data, the classification criteria are not met. bosure Based on available data, the classification criteria are not met. exposure Based on available data, the classification criteria are not met. available data, the classification criteria are not met. bosure Based on available data, the classification criteria are not met. available data, the classification criteria are not met. bosure Based on available data, the classification criteria are not met.

· Aquatic toxicity: 65997-17-3 Glaspulver	
65997-17-3 Glaspulver	
EC50/72h >1000 mg/l (daphnia)	
LC50/96h >1000 mg/l (fish)	
ErC50 / 72 h >1000 mg/l (algae)	



Page 7/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 3

Revision: 16.11.2022

### Trade name: Venus flow

	(Contd. of page 6)
NOEC / 72h	1000 mg/l (algae)
	1000 mg/l (daphnia)
	ethylen glycol dimethacrylate
EC50/21d	<b>5</b> ( <b>1</b> ) ( )
LC50/96h	16.4 mg/l (fish) (OECD 203)
NOEC / 21d	32 mg/l (daphnia) (OECD 211)
	>100 mg/l (algae) (OECD 201)
	18.6 mg/l (algae) (OECD 201)
	72.8 mg/l (algae) (OECD 201)
	hyl methacrylate
EC50/21d	49 mg/L (daphnia) (OECD 211)
EC50/48h	69 mg/l (daphnia) (EPA OTS 797.1300)
	37 mg/l (daphnia) (OECD 211)
	>110 mg/l (algae) (OECD 201)
NOEC / 72h	110 mg/l (algae) (OECD 201)
	48 mg/l (daphnia) (EPA OTS 797.1300)
EbC50 / 72h	>110 mg/l (algae) (OECD 201)
NOEC/ 35d	5 ( )( )
LC50/ 35d	33.7 mg/L (fish) (OECD 210)
	ence and degradability
	ethylen glycol dimethacrylate
	on 85 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)
	hyl methacrylate
	on 94 % /14d (not defined) (OECD 301C)
12.4 Mobility 12.5 Results PBT: Not vPvB: No 12.6 Endocr For informati 12.7 Other a Addition	umulative potential No further relevant information available. y in soil No further relevant information available. s of PBT and vPvB assessment applicable. tapplicable. ine disrupting properties on on endocrine disrupting properties see section 11. dverse effects al ecological information:
· Gener	al notes: Avoid transfer into the environment.
SECTION	13: Disposal considerations
· <b>Recomm</b> Small qua	t <b>reatment methods</b> endation antities can be polymerized by light and the cured solid material can be disposed of with ar garbage. Larger quantities must be disposed of following the regulations of the local

the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities.

• Uncleaned packagings: • Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

GB



Page 8/9

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 3

Revision: 16.11.2022

### Trade name: Venus flow

(Contd. of page 7)

SECTION 14: Transport information	tion	
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk accordi IMO instruments	i <b>ng to</b> Not applicable.	
· Transport/Additional information:	-	
UN "Model Regulation":	Void	

### SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation. H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms: SADT: Self Accelerating Decomposition Temperature ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 9)

GB



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 3

Revision: 16.11.2022

Page 9/9

### Trade name: Venus flow

(Contd. of page 8) vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 • \* **Data compared to the previous version altered**.

GB