

Page 1/8

Safety Data Sheet according to WHS Regulations

Printing date 16.11.2022

Version number 3

Revision: 16.11.2022

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification · Product identifier • Trade name: Venus Color · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Dental filling material · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Kulzer Australia Pty Ltd Unit 20, 53 Lorraine St PEAKHURST NSW 2210 Tel: +61 (02) 9153 0311 Australia · Informing department: see above • Emergency telephone number: Poison Information Number: Australia 13 11 26 & New Zealand 0800 764 766 2 Hazard(s) Identification · Classification of the substance or mixture Skin Irrit. 2 H315 Causes skin irritation. Eye Irritation 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. H360 May damage fertility or the unborn child. Repr. 1B · Label elements GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS). Hazard pictograms GHS07 GHS08 · Signal word Danger · Hazard-determining components of labelling: 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate 2-ethylhexyl 4-(dimethylamino)benzoate · Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May damage fertility or the unborn child. Precautionary statements Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Store locked up. (Contd. on page 2)



Page 2/8

Safety Data Sheet according to WHS Regulations

Printing date 16.11.2022

Version number 3

Revision: 16.11.2022

(Contd. of page 1)

Trade name: Venus Color

· Other hazards -

• Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.

3 Composition and Information on Ingredients

Chemical characterisation: Mixtures Description: - Dangerous components:		
	Skin Irrit. 2, H315; Eye Irritation 2A, H319; STOT SE 3, H335	
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16- diyl bismethacrylate	10-25%
	Skin Sens. 1B, H317	
21245-02-3	2-ethylhexyl 4-(dimethylamino)benzoate	<i>≥</i> 0.3- <i>≤</i> 5%
	Repr. 1B, H360	

4 First Aid Measures

[.] Description of first aid measures

After inhalation Supply fresh air; consult doctor in case of symptoms.

- After skin contact instantly wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water.
- After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

Information for doctor

- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

• Extinguishing media

Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

- Special hazards arising from the substance or mixture No further relevant information available. • Advice for firefighters
- Protective equipment: No special measures required.
- · Additional information -

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures Not required.

- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Collect mechanically.
- Reference to other sections
- See Section 7 for information on safe handling

(Contd. on page 3)

AU



Safety Data Sheet according to WHS Regulations

Printing date 16.11.2022

Version number 3

Revision: 16.11.2022

(Contd. of page 2)

Page 3/8

Trade name: Venus Color

See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

7 Handling and Storage

· Handling

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

Storage

- · Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store under dry conditions.

• **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

· Control parameters

Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

41637-38-	1 bisphenol A polyethn	ylene glycol di	ether dimethacrylate	
Oral	general population, long	term, systemic	5 mg/Kg (not defined)	
Dermal	worker industrial, long te	rm, systemic	140 mg/Kg/d (not defined)	
	general population, long	term, systemic	50 mg/Kg/d (not defined)	
Inhalative	worker industrial, long term, systemic		98.7 mg/m3 (not defined)	
	general population, long	term, systemic	17.4 mg/m3 (not defined)	
72869-86-	4 7,7,9(or 7,9,9)-trimet bismethacrylate	hyl-4,13-dioxo	o-3,14-dioxa-5,12-diazahexadecane-1,16-diy	
Oral	general population, long	term, systemic	0.3 mg/Kg (not defined)	
Dermal	worker industrial, long te	rm, systemic	1.3 mg/Kg/d (not defined)	
	general population, long	term, systemic	0.7 mg/Kg/d (not defined)	
Inhalative	worker industrial, long te	rm, systemic	3.3 mg/m3 (not defined)	
	general population, long term, systemic		0.6 mg/m3 (not defined)	
·	PNECs			
72869-86-	4 7,7,9(or 7,9,9)-trimeti bismethacrylate	hyl-4,13-dioxo	o-3,14-dioxa-5,12-diazahexadecane-1,16-diy	
freshwater		0.01 mg/l (not	defined)	
marine water		0.001 mg/l (not defined)		
sewage treatment plant		3.61 mg/l (not defined)		
	sediment, dry weight, freshwater		4.56 mg/Kg (not defined)	
sediment,	5			
		0.46 mg/Kg (n	ot defined)	

_ ΔΠ



Page 4/8

Safety Data Sheet according to WHS Regulations

Printing date 16.11.2022

Version number 3

Revision: 16.11.2022

(Contd. of page 3)

Trade name: Venus Color

Exposure controls

Personal protective equipment

- General protective and hygienic measures
- Wash hands during breaks and at the end of the work.
- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check protective gloves prior to each use for their proper condition.

recommended Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

- Butyl rubber, BR
- Nitrile rubber, NBR
- Eye protection: Safety glasses
- · Body protection: Light weight protective clothing

9 Physical and Chemical Properties

· Appearance: · Form: · Colour: · Smell: · Odour threshold:	Pasty Different according to colour Odourless Not determined.	
· pH-value:	Not determined.	
 Change in condition Melting point/freezing point: Initial boiling point and boiling r 	Not determined range: Not determined	
· Flash point:	>100 °C	
· Inflammability (solid, gaseous)	Not applicable.	
· Decomposition temperature:	Not determined.	
· Self-inflammability:	Product is not selfigniting.	
· Explosive properties:	Product is not explosive.	
 Critical values for explosion: Lower: Upper: 	Not determined. Not determined.	

AU -



Page 5/8

•

Safety Data Sheet according to WHS Regulations

Printing date 16.11.2022

Version number 3

Revision: 16.11.2022

.~

Trade name: Venus Color

		(Contd. of page
· Steam pressure:	Not determined.	
· Density at 20 °C	1.9 g/cm ³	
· Relative density	Ňot determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix	
· Partition coefficient: n-octanol	/water: Not determined.	
· Viscosity:		
· dynamic:	Not determined.	
· kinematic:	Not determined.	
Other information	No further relevant information available.	

10 Stability and Reactivity

· Reactivity No further relevant information available.

Chemical stability

· Conditions to be avoided: No decomposition if used and stored according to specifications.

- Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: None

· Additional information: -

11 Toxicological Information

 Information on 	toxicological	effects
A	4	

Acute toxicity

· LD/LC50 values that are relevant for classification:

41637-38-1 bisphenol A polyethnylene glycol diether dimethacrylate

Oral LD50 >2000 mg/kg (rat) (OECD 423)

Dermal LD50 >2000 mg/kg (rat) (OECD 402)

72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

Oral LD50 >5000 mg/kg (rat) (OECD 401)

Dermal LD50 >2000 mg/kg (rat) (OECD 402)

68412-38-4 Manganese antimony titanium buff rutile

Oral LD50 >10000 mg/kg (rat)

21245-02-3 2-ethylhexyl 4-(dimethylamino)benzoate

Oral LD50 14900 mg/kg (rat)

Primary irritant effect:

Skin corrosion/irritation No irritant effect.

Serious eye damage/irritation No irritant effect.

· Respiratory or skin sensitisation No sensitizing effect known.

(Contd. on page 6)

AU



Page 6/8

Safety Data Sheet according to WHS Regulations

Printing date 16.11.2022

Version number 3

Revision: 16.11.2022

(Contd. of page 5)

Trade name: Venus Color

· Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version. When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Repr. 1B

· Reproductive toxicity

21245-02-3 2-ethylhexyl 4-(dimethylamino)benzoate

Oral NOAEL (Fertility) 50 mg/kg/d /64 d (rat) (OECD 421)

12 Ecologica	I Information
· Toxicity	
· Aquatic t	
	sisphenol A polyethnylene glycol diether dimethacrylate
EC50/72h	>100 mg/l (algae) (OECD 201)
LL50/96h	>100 mg/L (fish) (OECD 203)
EL50/48h	>100 mg/L (daphnia) (OECD 202)
EL50/72h	>100 mg/L (algae) (OECD 201)
NOEC / 21d	<i>≥</i> 22.4 mg/l (daphnia) (OECD 211)
NOEC 28d	14.3 mg/l (bacteria)
NOELR	100 mg/L /48h (daphnia) (OECD 202)
	7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl Nismethacrylate
EC50/48h	>1.2 mg/l (daphnia) (OECD 202)
LC50/96h	10.1 mg/l (fish) (OECD 203)
ErC50 / 72 h	>0.68 mg/l (algae) (OECD 201)
NOEC / 72h	0.21 mg/l (algae) (OECD 201)
68412-38-4 N	langanese antimony titanium buff rutile
EC50	100 mg/l (daphnia)
	and degradability
	isphenol A polyethnylene glycol diether dimethacrylate
•	on 24 % /28d (not defined) (OECD 301D)
b	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl ismethacrylate
	on 22 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)
Bioaccun Mobility i Additional e General r	n environmental systems: nulative potential No further relevant information available. n soil No further relevant information available. cological information: notes: Avoid transfer into the environment. BT and vPvB assessment applicable
	t applicable. (Contd. on page 7



Page 7/8

Safety Data Sheet according to WHS Regulations

Printing date 16.11.2022

Version number 3

Revision: 16.11.2022

(Contd. of page 6)

Trade name: Venus Color

· Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods • Recommendation Smaller quantities can be disposed with household garbage.

· Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

UN-Number · ADG, IMDG, IATA	Void	
UN proper shipping name ADG, IMDG, IATA	Void	
Transport hazard class(es)		
· ADG, IMDG, IATA		
· Class	Void	
	000	
Packing group · ADG, IMDG, IATA	Void	
Environmental hazards: • Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex Marpol and the IBC Code	II of Not applicable.	
Transport/Additional information:	-	
UN "Model Regulation":	Void	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Australian Inventory of Industrial Chemicals

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)



Page 8/8

Safety Data Sheet according to WHS Regulations

Printing date 16.11.2022

Version number 3

Revision: 16.11.2022

Trade name: Venus Color

(Contd. of page 7) · Relevant phrases H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H360 May damage fertility or the unborn child. Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) Concerning the International Transport of Dangerous Goods by Kall) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, so percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Divis Derec 4: Divis correliation Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1 Repr. 1B: Reproductive toxicity – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * Data compared to the previous version altered.