



**Safety Data Sheet
according to HPR, Schedule 1**

Printing date 11/16/2022

Reviewed on 11/16/2022

1 Identification

· **Product identifier**

· Trade name: **Venus Color**

· -

· **Application of the substance / the mixture** Dental filling material

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

· **Information department:**

Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545

e-mail: customer.servicehkna@kulzer-dental.com

· **Emergency telephone number:**

Emergency CONTACT (24-Hour-Number)

ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500

2 Hazard identification

· **Classification of the substance or mixture**

Skin Irritation - Category 2

H315 Causes skin irritation.

Eye Irritation - Category 2A

H319 Causes serious eye irritation.

Skin Sensitizer - Category 1

H317 May cause an allergic skin reaction.

Reproductive Toxicity - Category 1B

H360 May damage fertility or the unborn child.

· **Label elements**

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

2-ethylhexyl 4-(dimethylamino)benzoate

· **Hazard statements**

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May damage fertility or the unborn child.

· **Precautionary statements**

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing.

Store locked up.

(Contd. on page 2)

CA



**Safety Data Sheet
according to HPR, Schedule 1**

Printing date 11/16/2022

Reviewed on 11/16/2022

Trade name: Venus Color

(Contd. of page 1)

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system**

· **NFPA ratings for USA (scale 0-4)**



· **HMIS-Ratings (Scale 0-4)**



· **Other hazards -**

3 Composition/Information on ingredients

· **Chemical characterization: Mixtures**

· **Description: -**

· **Dangerous components:**

13760-80-0	ytterbium trifluoride Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319; Specific Target Organ Toxicity - Single Exposure - Category 3, H335	≥10-<20% w/w *
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate Skin Sensitizer - Category 1B, H317	10-25% w/w *
21245-02-3	2-ethylhexyl 4-(dimethylamino)benzoate Reproductive Toxicity - Category 1B, H360	≥0,1-≤5% w/w *

* Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

· **Description of first aid measures**

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.

· **Information for doctor**

- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

CA
(Contd. on page 3)



**Safety Data Sheet
according to HPR, Schedule 1**

Printing date 11/16/2022

Reviewed on 11/16/2022

Trade name: **Venus Color**

(Contd. of page 2)

5 Fire-fighting measures

- **Extinguishing media**
 - **Suitable extinguishing agents**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
 - **Protective equipment:** No special measures required.
- **Additional information** -

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**
 - See Section 7 for information on safe handling
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.
-

7 Handling and storage

- **Handling**
 - **Precautions for safe handling** No special measures required.
 - **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
 - **Storage**
 - **Requirements to be met by storerooms and receptacles:** No special requirements.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** Store in dry conditions.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/ Personal protection

- **Control parameters**
 - **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Not required.
 - **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
 - **Personal protective equipment**
 - **General protective and hygienic measures**
Wash hands before breaks and at the end of work.
 - **Breathing equipment:** Not required.

(Contd. on page 4)



**Safety Data Sheet
according to HPR, Schedule 1**

Printing date 11/16/2022

Reviewed on 11/16/2022

Trade name: Venus Color

(Contd. of page 3)

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check protective gloves prior to each use for their proper condition.
recommended

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Butyl rubber, BR

Nitrile rubber, NBR

· **Eye protection:** Safety glasses

· **Body protection:** Light weight protective clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· **Form:**

Pasty

· **Color:**

Different according to coloring

· **Odor:**

Odorless

· **Odor threshold:**

Not determined.

· **pH-value:**

Not determined.

· **Change in condition**

· **Melting point/Melting range:**

undetermined

· **Boiling point/Boiling range:**

undetermined

· **Flash point:**

>100 °C (>212 °F)

· **Flammability (solid, gaseous)**

Not applicable.

· **Decomposition temperature:**

Not determined.

· **Auto igniting:**

Product is not selfigniting.

· **Danger of explosion:**

Product does not present an explosion hazard.

· **Explosion limits:**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Vapor pressure:**

Not determined.

· **Density at 20 °C (68 °F):**

1,9 g/cm³ (15,8555 lbs/gal)

· **Relative density**

Not determined.

· **Vapor density**

Not determined.

· **Evaporation rate**

Not determined.

(Contd. on page 5)

CA



Safety Data Sheet
according to HPR, Schedule 1

Printing date 11/16/2022

Reviewed on 11/16/2022

Trade name: **Venus Color**

(Contd. of page 4)

- | | |
|---|--|
| · Solubility in / Miscibility with
· Water: | Not miscible or difficult to mix |
| · Partition coefficient (n-octanol/water): | Not determined. |
| · Viscosity:
· dynamic:
· kinematic: | Not determined.
Not determined. |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** none
- **Additional information:** -

11 Toxicological information

- **Information on toxicological effects**
· **Acute toxicity:**

· LD/LC50 values that are relevant for classification:		
41637-38-1 bisphenol A polyethnylene glycol diether dimethacrylate		
Oral	LD50	>2000 mg/kg (rat) (OECD 423) read-across
Dermal	LD50	>2000 mg/kg (rat) (OECD 402) read-across
72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate		
Oral	LD50	>5000 mg/kg (rat) (OECD 401)
Dermal	LD50	>2000 mg/kg (rat) (OECD 402)
68412-38-4 Manganese antimony titanium buff rutile		
Oral	LD50	>10000 mg/kg (rat) Vom SDB von Ferro (27.12.2010) übernommen
21245-02-3 2-ethylhexyl 4-(dimethylamino)benzoate		
Oral	LD50	14900 mg/kg (rat)

- **Primary irritant effect:**
 - **on the skin:** No irritant effect.
 - **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

(Contd. on page 6)

CA



**Safety Data Sheet
according to HPR, Schedule 1**

Printing date 11/16/2022

Reviewed on 11/16/2022

Trade name: Venus Color

(Contd. of page 5)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· Reproductive toxicity	
21245-02-3 2-ethylhexyl 4-(dimethylamino)benzoate	
Oral	NOAEL (Fruchtbarkeit) 50 mg/kg/d /64 d (rat) (OECD 421)

12 Ecological information

· Toxicity

· Aquatic toxicity:	
41637-38-1 bisphenol A polyethnylene glycol diether dimethacrylate	
EC50/72h	>100 mg/l (algae) (OECD 201)
LL50/96h	>100 mg/L (fish) (OECD 203)
EL50/48h	>100 mg/L (daphnia) (OECD 202)
EL50/72h	>100 mg/L (algae) (OECD 201)
NOEC / 21d	≥22,4 mg/l (daphnia) (OECD 211)
NOEC 28d	14,3 mg/l (bacteria)
NOELR	100 mg/L /48h (daphnia) (OECD 202)
72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	
EC50/48h	>1,2 mg/l (daphnia) (OECD 202)
LC50/96h	10,1 mg/l (fish) (OECD 203)
ErC50 / 72 h	>0,68 mg/l (algae) (OECD 201)
NOEC / 72h	0,21 mg/l (algae) (OECD 201)
68412-38-4 Manganese antimony titanium buff rutile	
EC50	100 mg/l (daphnia) Vom SDB von Ferro (27.12.2012) übernommen

· Persistence and degradability

41637-38-1 bisphenol A polyethnylene glycol diether dimethacrylate	
biodegradability	24 % /28d (not defined) (OECD 301D)
72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	
biodegradability	22 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

· Behavior in environmental systems:

- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
 - **General notes:** Avoid transfer into the environment.
- **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

(Contd. on page 7)



**Safety Data Sheet
according to HPR, Schedule 1**

Printing date 11/16/2022

Reviewed on 11/16/2022

Trade name: **Venus Color**

· **Other adverse effects** No further relevant information available.

(Contd. of page 6)

13 Disposal considerations

- **Waste treatment methods**
 - **Recommendation** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
 - **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**
· DOT/TDG, ADR, IMDG, IATA Void

· **UN proper shipping name**
· DOT/TDG, ADR, IMDG, IATA Void

· **Transport hazard class(es)**
· DOT/TDG (Transport dangerous goods):



· **Class** Void

· ADR, IMDG, IATA



· **Class** Void

· **Packing group**
· DOT/TDG, ADR, IMDG, IATA Void

· **Environmental hazards:**
· Marine pollutant: No

· **Special precautions for user** Not applicable.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· **Transport/Additional information:** -

· **UN "Model Regulation":** Void

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.

(Contd. on page 8)



**Safety Data Sheet
according to HPR, Schedule 1**

Printing date 11/16/2022

Reviewed on 11/16/2022

Trade name: Venus Color

· Sara

(Contd. of page 7)

· **SARA Section 355 (extremely hazardous substances)**

None of the ingredients is listed.

· **Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H360 May damage fertility or the unborn child.

· **Date of the latest revision of the safety data sheet 11/16/2022**

· **Abbreviations and acronyms:**

ICAO: International Civil Aviation Organisation

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

· *** Data compared to the previous version altered.**