



**Safety Data Sheet  
according to HPR, Schedule 1**

Printing date 12/17/2024

Reviewed on 12/17/2024

## 1 Identification

· **Product identifier**

· Trade name: **iBond Universal**

· -

· **Application of the substance / the mixture** Dental bonding material

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

· **Information department:**

Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545

e-mail: [customer.servicehkna@kulzer-dental.com](mailto:customer.servicehkna@kulzer-dental.com)

· **Emergency telephone number:**

Emergency CONTACT (24-Hour-Number)

ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500

## 2 Hazard identification

· **Classification of the substance or mixture**

Flammable Liquids - Category 2

H225 Highly flammable liquid and vapour.

Skin Irritation - Category 2

H315 Causes skin irritation.

Eye Irritation - Category 2A

H319 Causes serious eye irritation.

Skin Sensitizer - Category 1

H317 May cause an allergic skin reaction.

Specific Target Organ Toxicity - Single Exposure -  
Category 3

H336 May cause drowsiness or dizziness.

· **Label elements**

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02 GHS07

· **Signal word** Danger

· **Hazard-determining components of labeling:**

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate  
acetone

4-methacryloxyethyltrimellitic acid anhydride

· **Hazard statements**

Highly flammable liquid and vapour.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

· **Precautionary statements**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Contd. on page 2)



**Safety Data Sheet**  
according to HPR, Schedule 1

Printing date 12/17/2024

Reviewed on 12/17/2024

**Trade name: iBond Universal**

(Contd. of page 1)

Avoid breathing mist/vapours/spray.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

· **Classification system**

· **NFPA ratings for USA (scale 0-4)**



· **HMIS-Ratings (Scale 0-4)**



· **Other hazards -**

**3 Composition/Information on ingredients**

· **Chemical characterization: Mixtures**

· **Description: -**

· **Dangerous components:**

67-64-1	acetone Flammable Liquids - Category 2, H225 Eye Irritation - Category 2A, H319; Specific Target Organ Toxicity - Single Exposure - Category 3, H336	25-50% w/w *
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate Skin Sensitizer - Category 1B, H317	10-25% w/w *
70293-55-9	4-methacryloxyethyltrimellitic acid anhydride Acute Toxicity (Oral) - Category 4, H302; Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319; Skin Sensitizer - Category 1, H317; Specific Target Organ Toxicity - Single Exposure - Category 3, H335	10-25% w/w *

\* Actual concentration ranges are withheld as a trade secret.

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

**4 First-aid measures**

· **Description of first aid measures**

· **After inhalation**

Supply fresh air and to be sure call for a doctor.

(Contd. on page 3)



**Safety Data Sheet  
according to HPR, Schedule 1**

Printing date 12/17/2024

Reviewed on 12/17/2024

**Trade name: iBond Universal**

(Contd. of page 2)

*In case of unconsciousness place patient stably in side position for transportation.*

· **After skin contact** *If skin irritation continues, consult a doctor.*

· **After eye contact**

*Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.*

· **After swallowing**

*Rinse out mouth and then drink plenty of water.*

*If symptoms persist consult doctor.*

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed**

*No further relevant information available.*

· **Indication of any immediate medical attention and special treatment needed**

*No further relevant information available.*

### 5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents**

*CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.*

· **For safety reasons unsuitable extinguishing agents** *Water with full jet.*

· **Special hazards arising from the substance or mixture**

*Can form explosive gas-air mixtures.*

*Formation of toxic gases is possible during heating or in case of fire.*

· **Advice for firefighters**

· **Protective equipment:** *No special measures required.*

· **Additional information -**

### 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

*Wear protective equipment. Keep unprotected persons away.*

· **Environmental precautions:** *Prevent seepage into sewage system, workpits and cellars.*

· **Methods and material for containment and cleaning up:**

*Absorb with liquid binding material (diatomite, universal binders, for small amounts tissues).*

*Ensure adequate ventilation.*

*Send for recovery or disposal in suitable receptacles.*

· **Reference to other sections**

*See Section 7 for information on safe handling*

*See Section 8 for information on personal protection equipment.*

*See Section 13 for disposal information.*

-

### 7 Handling and storage

· **Handling**

· **Precautions for safe handling** *Keep receptacles tightly sealed.*

· **Information about protection against explosions and fires:**

*Keep ignition sources away - Do not smoke.*

(Contd. on page 4)

CA



**Safety Data Sheet  
according to HPR, Schedule 1**

Printing date 12/17/2024

Reviewed on 12/17/2024

**Trade name: iBond Universal**

(Contd. of page 3)

Protect against electrostatic charges.

· **Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and receptacles:** Store in a cool location.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

Keep receptacle tightly sealed.

Protect from exposure to the light.

Store in cool, dry conditions in well sealed receptacles.

· **Specific end use(s)** No further relevant information available.

**8 Exposure controls/ Personal protection**

· **Additional information about design of technical systems:** No further data; see section 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**67-64-1 acetone**

EL STEL: 500 ppm  
TWA: 250 ppm

EV STEL: 750 ppm  
TWA: 500 ppm

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Avoid contact with the eyes.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

Use respiratory protective device against the effects of fumes/dust/aerosol.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Check protective gloves prior to each use for their proper condition.  
recommended

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)



**Safety Data Sheet  
according to HPR, Schedule 1**

Printing date 12/17/2024

Reviewed on 12/17/2024

**Trade name: iBond Universal**

(Contd. of page 4)

- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**  
Butyl rubber, BR  
Nitrile rubber, NBR
- **Eye protection:** Tightly sealed goggles.
- **Body protection:** Light weight protective clothing

**9 Physical and chemical properties**

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

- **Form:** Liquid
- **Color:** Clear
- **Odor:** Characteristic
- **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

- **Melting point/Melting range:** undetermined
- **Boiling point/Boiling range:** 55 °C (131 °F)

· **Flash point:** 1,5 °C (34,7 °F)

· **Flammability (solid, gaseous)** Not applicable.

· **Decomposition temperature:** Not determined.

· **Ignition temperature:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· **Explosion limits:**

- **Lower:** Not determined.
- **Upper:** Not determined.

· **Vapor pressure:** Not determined.

· **Density at 20 °C (68 °F):** 0,99 g/cm<sup>3</sup> (8,26155 lbs/gal)

- **Relative density** Not determined.
- **Vapor density** Not determined.
- **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

· **Water:** Partly miscible

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· **dynamic:** Not determined.

(Contd. on page 6)

CA



**Safety Data Sheet  
according to HPR, Schedule 1**

Printing date 12/17/2024

Reviewed on 12/17/2024

**Trade name: iBond Universal**

(Contd. of page 5)

· <b>kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
· <b>Water:</b>	19,0 %
· <b>Solids content:</b>	19,1 %
· <b>Other information</b>	No further relevant information available.

**10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** none
- **Additional information:** -

**11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**

· <b>LD/LC50 values that are relevant for classification:</b>		
<b>67-64-1 acetone</b>		
Oral	LD50	5.800 mg/kg (rat)
Dermal	LD50	>15.800 mg/kg (rabbit) weight of evidence
Inhalative	LC50/4 h	76 mg/l (rat) weight of evidence
<b>72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate</b>		
Oral	LD50	>5.000 mg/kg (rat) (OECD 401)
Dermal	LD50	>2.000 mg/kg (rat) (OECD 402)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:** Irritant

· **Carcinogenic categories**

· <b>IARC (International Agency for Research on Cancer)</b>
None of the ingredients is listed.
· <b>NTP (National Toxicology Program)</b>
None of the ingredients is listed.

(Contd. on page 7)



**Safety Data Sheet**  
according to HPR, Schedule 1

Printing date 12/17/2024

Reviewed on 12/17/2024

**Trade name: iBond Universal**

(Contd. of page 6)  
· **Reproductive toxicity** Based on available data, the classification criteria are not met.

**12 Ecological information**

· **Toxicity**

· **Aquatic toxicity:**

**67-64-1 acetone**

EC50/48h 8.800 mg/l (daphnia)

LC50/96h 6.210 mg/l (fish) (OECD 203)

**72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate**

EC50/48h >1,2 mg/l (daphnia) (OECD 202)

LC50/96h 10,1 mg/l (fish) (OECD 203)

ErC50 / 72 h >0,68 mg/l (algae) (OECD 201)

NOEC / 72h 0,21 mg/l (algae) (OECD 201)

· **Persistence and degradability**

**67-64-1 acetone**

biodegradability 90,9 % /28d (not defined) (OECD 301D)

**72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate**

biodegradability 22 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

· **Waste treatment methods**

· **Recommendation**

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)



**Safety Data Sheet  
according to HPR, Schedule 1**

Printing date 12/17/2024




Reviewed on 12/17/2024

**Trade name: iBond Universal**

(Contd. of page 7)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

· <b>UN-Number</b>	
· <b>DOT/TDG, ADR, IMDG, IATA</b>	UN1090
· <b>UN proper shipping name</b>	
· <b>DOT/TDG</b>	Acetone solution
· <b>ADR</b>	1090 Acetone solution
· <b>IMDG, IATA</b>	ACETONE solution
· <b>Transport hazard class(es)</b>	
· <b>DOT/TDG (Transport dangerous goods):</b>	
	
· <b>Class</b>	3 Flammable liquids
· <b>Label</b>	3
· <b>ADR</b>	
	
· <b>Class</b>	3 (F1) Flammable liquids
· <b>Label</b>	3
· <b>IMDG, IATA</b>	
	
· <b>Class</b>	3 Flammable liquids
· <b>Label</b>	3
· <b>Packing group</b>	
· <b>DOT/TDG, ADR, IMDG, IATA</b>	II
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Warning: Flammable liquids
· <b>Hazard identification number (Kemler code):</b>	33
· <b>EMS Number:</b>	F-E,S-D

(Contd. on page 9)

CA





**Safety Data Sheet**  
according to HPR, Schedule 1

Printing date 12/17/2024

Reviewed on 12/17/2024

**Trade name: iBond Universal**

(Contd. of page 8)

· <b>Stowage Category</b>	E
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	-
· <b>ADR</b>	
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>UN "Model Regulation":</b>	UN 1090 ACETONE SOLUTION, 3, II

**15 Regulatory information**

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.

· **Sara**

· **SARA Section 355 (extremely hazardous substances)**

None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

· **Date of the latest revision of the safety data sheet** 12/17/2024

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 10)

CA



**Safety Data Sheet**  
**according to HPR, Schedule 1**

Printing date 12/17/2024

Reviewed on 12/17/2024

**Trade name: iBond Universal**

(Contd. of page 9)

*NFPA: National Fire Protection Association (USA)*

*HMIS: Hazardous Materials Identification System (USA)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

**· \* Data compared to the previous version altered.**

CA