

Page 1/9

Revision: 08.02.2023

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

undertaking

Version number 6 (replaces version 5)

SECTION 1: Identification of the substance/mixture and of the company/

· 1.1 Product identifier

· Trade name: Provil Novo Light Base, Provil Novo Light CD2 regular set Base, Provil Novo Light CD2 fast set Base

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Dental impression material
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

Additional information:

Since the product is a medical device in the sense of Directive 93/42/EEC (MDD) or the Regulation (EU) 2017/745 (MDR), that is intended for the end user and is used invasively or with physical contact, it is exempted from the classification and labeling obligation according to Regulation (EC) 1272/2008.

- - Labelling according to Regulation (EC) No 1272/2008 Void
 - · Hazard pictograms Void
 - · Signal word Void
 - · Hazard statements Void
 - · Additional information: see 2.1
- · 2.3 Other hazards -
 - · Results of PBT and vPvB assessment

· PBT:		
<i>55</i> 6-67-2	octamethylcyclotetrasiloxane	

· vPvB:

556-67-2 octamethylcyclotetrasiloxane

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Description: -

· Dangerous components:		
CAS: 14464-46-1	Cristobalite	25-50%
EINECS: 238-878-4	STOT RE 1, H372	
CAS: 78330-21-9	Alkohole, C11-14-iso-, C13-reich, ethoxyliert	≥1-<3%
	Eye Dam. 1, H318	
CAS: 556-67-2	octamethylcyclotetrasiloxane	<i>≥</i> 0.025-<0.25%
EINECS: 209-136-7 Reg.nr.: 01-2119529238-36-xxxx	Flam. Liq. 3, H226	
Reg.nr.: 01-2119529238-36-xxxx	(Repr. 2, H361f	
	Aquatic Chronic 1, H410 (M=10)	
	PBT; vPvB	(Contd. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

Trade name: Provil Novo Light Base, Provil Novo Light CD2 regular set Base, Provil Novo Light CD2 fast set Base

(Contd. of page 1)

Revision: 08.02.2023

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - After inhalation Supply fresh air; consult doctor in case of symptoms.
 - After skin contact if skin irritation continues, consult a doctor.
 - After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
 - **Protective equipment:** Put on breathing apparatus.
 - Additional information -

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with eyes and skin.

- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Please observe the additional instructions in the product's instructions for use.

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires: No special measures required.

(Contd. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

Trade name: Provil Novo Light Base, Provil Novo Light CD2 regular set Base, Provil Novo Light CD2 fast set Base

(Contd. of page 2)

Revision: 08.02.2023

- 7.2 Conditions for safe storage, including any incompatibilities
 - Storage
 - Requirements to be met by storerooms and containers: No special requirements.
 - · Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Compo	· Components with critical values that require monitoring at the workplace:		
14464-46-	1 Cristobalite		
OEL (Irela	nd) Long-term value: 0.1 mg/m³		
· DNI	ELs		
556-67-2	octamethylcyclotetrasiloxane		
Oral	general population, long term, systemic	3.7 mg/Kg (not defined)	
Inhalative	worker industrial, long term, systemic	73 mg/m3 (not defined)	
	worker industrial, long term, local	73 mg/m3 (not defined)	
	general population, long term, systemic	13 mg/m3 (not defined)	

PNECs

556-67-2 octamethylcyclotetrasiloxane

freshwater
marine water
sewage treatment plant
sediment, dry weight, freshwater
sediment, dry weight, marine water

0.0015 mg/l (not defined)
10 mg/l (not defined)
3 mg/Kg (not defined)
0.3 mg/Kg (not defined)

general population, long term, local

· Additional information: The lists that were valid during the compilation were used as basis.

13 mg/m3 (not defined)

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Not necessary if room is well-ventilated.
- Hand protection

Check protective gloves prior to each use for their proper condition. recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023 Version number 6 (replaces version 5) Revision: 08.02.2023

Trade name: Provil Novo Light Base, Provil Novo Light CD2 regular set Base, Provil Novo Light CD2 fast set Base

(Contd. of page 3)

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

· Eye/face protection Tightly sealed safety glasses.

· Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

· Physical state

· Colour: Dark green

Green

Fluid

· Smell: Characteristic Not determined.

• Melting point/freezing point:

Not determined

· Boiling point or initial boiling point and

boiling range Not determined Not applicable.

· Lower and upper explosion limit

Lower: Not determined. Not determined. Not determined.

· Flash point: >130 °C

Decomposition temperature: Not determined.

SADT

· **pH** Not determined.

· Viscosity:

* Kinematic viscosity Not determined. Not determined.

· Solubility

Water: Not miscible or difficult to mix

Partition coefficient n-octanol/water (log

value)Not determined.Steam pressure:Not determined.

Density and/or relative density

Density at 20 °C
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

No further relevant information available.

· Appearance:

· Form: Pasty

Important information on protection of health and environment, and on safety.

• Self-inflammability:
• Explosive properties:

Product is not selfigniting.
Product is not explosive.
Not determined.

· Change in condition

Evaporation rate Not determined.

(Contd. on page 5)



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

Trade name: Provil Novo Light Base, Provil Novo Light CD2 regular set Base, Provil Novo Light CD2 fast set Base

	Contd.	of	page	4
--	--------	----	------	---

Revision: 08.02.2023

Information with regard to physical hazard classes	
· Explosives	Void
Explosives	Void
· Flammable gases	Void
r iaiiiiiabio gaddo	Void
· Aerosols	Void
71070000	Void
· Oxidising gases	Void
Oxidioning guodo	Void
· Gases under pressure	Void
and and process	Void
· Flammable liquids	Void
aa.oro nquiao	Void
· Flammable solids	Void
	Void
· Self-reactive substances and mixtures	Void
	Void
· Pyrophoric liquids	Void
. y. opoquiuc	Void
· Pyrophoric solids	Void
. 7 1	Void
· Self-heating substances and mixtures	Void
	Void
· Substances and mixtures, which emit	
flammable gases in contact with water	Void
•	Void
· Oxidising liquids	Void
5 ,	Void
· Oxidising solids	Void
J	Void
· Organic peroxides	Void
•	Void
· Corrosive to metals	Void
	Void
· Desensitised explosives	Void
	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - Conditions to be avoided: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
 - · Additional information: -



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

Trade name: Provil Novo Light Base, Provil Novo Light CD2 regular set Base, Provil Novo Light CD2 fast set Base

(Contd. of page 5)

Revision: 08.02.2023

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:				
78330-21-	78330-21-9 Alkohole, C11-14-iso-, C13-reich, ethoxyliert			
Oral	LD50	7,400 mg/kg (rat)		
556-67-2	octamethy	rlcyclotetrasiloxane		
Oral	LD50	>4,800 mg/kg (rat) (OECD 401)		
Dermal	LD50	>2,375 mg/kg (rat) (OECD 402)		
Inhalative	LC50/4 h	36 mg/l (rat) (OECD 403)		

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- Germ cell mutagenicity Based on available data, the classification criteria are not met.

 Carcinogenicity Based on available data, the classification criteria are not met.

 Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
 - · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity	у
· Aquatic t	toxicity:
78330-21-9	Alkohole, C11-14-iso-, C13-reich, ethoxyliert
EC50/72h	2-10 mg/l (algae)
EC50/48h	2-10 mg/l (daphnia)
LC50/96h	5.6 mg/l (fish)
556-67-2 oct	tamethylcyclotetrasiloxane
EC50/21d	>0.015 mg/L (daphnia) (EPA OTS 797.1330)
EC50/48h	>0.015 mg/l (daphnia) (EPA OTS 797.1300)
LC50/96h	>0.022 mg/l (fish) (EPA OTS 797.1400)
NOEC / 91d	≥0.0044 mg/l (fish)
NOEC / 21d	≥0.015 mg/l (daphnia) (EPA OTS 797.1330)
NOEC / 96h	<0.022 mg/l (algae) (EPA OTS 797.1050)
	≥0.022 mg/l (fish) (EPA OTS 797.1400)
NOEC / 48h	≥0.015 mg/l (daphnia) (EPA OTS 797.1300)
ErC50/ 96h	>0.022 mg/L (algae) (EPA OTS 797.1050)
· 12.2 Persist	ence and degradability
556-67-2 oct	tamethylcyclotetrasiloxane
Biodegradati	ion 3.7 % /29d (not defined) (OECD 310)
	(Contd. on page 7



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

Trade name: Provil Novo Light Base, Provil Novo Light CD2 regular set Base, Provil Novo Light CD2 fast set Base

(Contd. of page 6)

Revision: 08.02.2023

12.3 Bioaccumulative potential

556-67-2 octamethylcyclotetrasiloxane

Bloconcentration factor (BCF) | 12,400 (not defined)

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

· PBT:

556-67-2 octamethylcyclotetrasiloxane

· vPvB:

556-67-2 octamethylcyclotetrasiloxane

· 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
 - · Additional ecological information:
 - · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· European waste catalogue

18 01 06* chemicals consisting of or containing hazardous substances

- · Uncleaned packagings:
 - · Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

14.1 UN number or ID number · ADR, IMDG, IATA	Void	
14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	

(Contd. on page 8)



Page 8/9

Revision: 08.02.2023

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

Trade name: Provil Novo Light Base, Provil Novo Light CD2 regular set Base, Provil Novo Light CD2 fast set Base

		(Contd. of page 7
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according IMO instruments	g to Not applicable.	
· Transport/Additional information:	-	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - Named dangerous substances ANNEX I None of the ingredients is listed.
 - · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
 - Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 70

 - DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
 - Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

no information available

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

no information available

- · REGULATION (EC) No 1005/2009 on substances that deplete the ozone layer ANNEX I (Ozone- depleting potential)
 - · Other regulations, limitations and prohibitive regulations
 - · Substances of very high concern (SVHC) according to REACH, Article 57

556-67-2 octamethylcyclotetrasiloxane

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H318 Causes serious eye damage.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

- Date of previous version: 10.03.2021
- Version number of previous version: 5
- Abbreviations and acronvms:

SADT: Self Accelerating Decomposition Temperature

(Contd. on page 9)



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

Trade name: Provil Novo Light Base, Provil Novo Light CD2 regular set Base, Provil Novo Light CD2 fast set Base

(Contd. of page 8)

Revision: 08.02.2023

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern VPVB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Repr. 2: Reproductive toxicity – Category 2
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
** Pata compared to the previous version altered.

* Data compared to the previous version altered.